Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Sı	4	(("20050131624") or ("6188224")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/25 16:38
S2	12	(324/381.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	N O	2005/08/29 16:39
S3	365	(324/380,378.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/29 09:45
S4	2	de-19704166-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	N _O	2005/08/29 09:26
SS	_	de-4328719-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/29 09:26
9S	2	ep-1103817-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO .	2005/08/29 09:27
S7	483	((electro\$1magnetic\$3 adj2 valve) near3 (internal adj combustion adj (engine vehicle))) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/29 11:24

2005/08/29 14:34	2005/08/29 10:43	2005/08/29 10:47	2005/08/29 11:01	2005/08/29 15:57	2005/08/29 11:26	2005/08/29 14:27	2005/08/29 14:28
NO	OFF	NO	NO	NO	NO	NO	NO
OR	OR	OR	OR	OR	OR	OR	OR
US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; PO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; PO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$5 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) near3 (electro\$1magnetic\$3 adj2 valve) near3 (internal adj combustion adj (engine vehicle))) and @ad<"20030618"	(("5820101") or ("6199774")).PN.	S7 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) near3 (electro\$1magnetic\$3 adj2 valve)	S10 and (voltage current signal input stimul\$7 excit\$7) with (electro\$1magnetic\$3 adj2 valve)	S11 and (voltage current signal input stimul\$7 excit\$7) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5)	S7 and (actual adj current) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5)	(((electr\$5 adj consumer) valve) near3 (internal adj combustion adj (engine vehicle))) and @ad<"20030618"	\$14 and ((electr\$5 adj consumer) valve) same ((actual adj current) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))
16	4	56	. 33	30	2	28225	15
&S	. S9	810	S11	S12	S13	S14	S15

6 S15 and set\$1point	S15 and set\$1point		US-PGPUB; USPAT; EPO; JPO;	OR	NO	2005/08/29 14:01
			DERWENT ; IBM_TDB			
S14 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	S14 and ((actual adj (voltage current signal input stimul\$7 excit\$ (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valu: determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 inneter\$5))	7 value)) near3 nt\$3 examin\$5 test\$3 entif\$7 record\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	Z O	2005/08/29 14:29
8 S17 and set\$1point adj (voltage current signal input stimul\$7 excit\$7)		it\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/29 15:57
3 S18 and add\$5 same (set\$1point adj (voltage current signal input stimul\$7 excit\$7))	S18 and add\$5 same (set\$1point adj (voltage current signal input	stimul\$7 excit\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/29 14:18
S19 and (anal\$5 \$3valuat\$5 compar\$5) same (voltage current signal input stimul\$7 excit\$7)		ial input stimul\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/29 14:32
247226 (internal adj combustion adj (engine vehicle)) and @ad<"20030618"			US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 09:52
111035 S21 and ((electr\$5 adj consumer) valve)	S21 and ((electr\$5 adj consumer) valve)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 09:53
863 S22 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	S22 and ((actual adj (voltage current signal input stimul\$7 excit\$7 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 idemeter\$5))	value)) near3 \$3 examin\$5 test\$3 ntif\$7 record\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/29 16:49

1	9	S30 and set\$1point adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB;	OR	NO	2005/08/30 08:37
			EPO; JPO; DERWENT ; IBM_TDB			
	17	S31 and set\$1point adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	O.R.	NO	2005/08/30 10:07
	2279	(73/119R,116.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:14
	4	S34 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	UŜ-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 08:38
	2	S35 and set\$1point adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 08:37
7	248453	(internal adj combustion adj (engine vehicle car automobile auto motor)) and @ad<" 20030618 "	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:49
_	111487	S37 and ((electr\$5 adj consumer) valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 15:03
	867	S38 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5 form\$3 yield\$3 add\$3) near3 (total sum) near3 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 09:57

S40	821	\$39 and (analy\$5 anali\$5 \$3valuat\$5 compar\$5 differ\$7) same (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT;	OR	NO	2005/08/30 10:05
			EFO; JFO; DERWENT ; IBM_TDB			
S41	2037	(123/479,490,90.11.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/30 10:26
S42	52	S41 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 10:38
S43	44	S42 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	Z O	2005/08/30 10:39
S44	64	S40 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/30 13:58
S45	57	S44 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	NO NO	2005/08/30 13:38
S46	9	(("6661636") or ("6119655") or ("5892649")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; BM_TDB	OR	OFF	2005/08/30 11:38
S47	803	(361/152,154.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR .	NO	2005/08/30 13:35

S48	215	gaessler	US-PGPUB;	OR	NO	2005/08/30 13:38
			USPAI; EPO; JPO; DERWENT ; IBM_TDB			
S49	20	S48 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/30 14:02
.S50	К	S49 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:04
S51	276	(324/388,503.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/30 14:00
S52	1153	(324/522,525.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	Z O	2005/08/30 14:00
S53	1171	(324/73.1.ccls.) and @ad<"20030618".	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO .	2005/08/30 14:00
S54	138	S51 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:02
S55	443	S52 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1elected pre\$1elected allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:02

2005/08/30 14:17	2005/08/30 14:03	2005/08/30 14:03	2005/08/30 14:19	2005/08/30 14:04	2005/08/30 14:06	2005/08/30 14:13	2005/08/30 14:17
NO	<u>Z</u>	NO NO	NO O	NO NO	NO NO	N N	Ö
OR	NO	OR	OR	OR	OR	OR	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
S53 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	S54 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	S55 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	S56 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	(gaessler).inv.	S50 and (total sum add\$5) near3 (voltage current signal input stimul\$7 excit\$7 value)	S57 and (total sum add\$5) near3 (voltage current signal input stimul\$7 excit\$7 value)	S58 and (total sum add\$5) near3 (voltage current signal input stimul\$7 excit\$7 value)
419	4	15	11	189	es .	2	∞
856	S57	SS8	SS9	098	S61	862	S63

S64	9	S59 and (total sum add\$5) near3 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB;	OR	NO	2005/08/30 14:18
			EPO; JPO; DERWENT ; IBM_TDB	,		
S9S	16	S60 and (total sum add\$5) near3 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:46
998	6377	monitor\$3 with current with load	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/30 14:13
S67	5627	S66 and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO C	2005/08/30 14:14
898	3098	S67 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO O	2005/08/30 14:17
869	131	S68 and ((actual adj (voltage current signal input stimul\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:19
S70	83	S69 and (total sum add\$5) near3 (voltage current signal input stimul\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 14:46
S71	09	S70 and (vehic\$5 car automobile auto motor (internal adj combustion adj (engine machine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	NO	2005/08/30 15:02

Search History 8/31/05 10:20:40 AM Page 9 C:\Documents and Settings\H\Nguyen26\My Documents\EAST\Workspaces\10511970.wsp

S72	38	38 S71 and ((electr\$5 adj (motor connector assembly unit system device apparatus machine	US-PGPUB;	OR	NO	2005/08/30 15:23
		mechanism section station means module set instrument tool circuit equipment cell	USPAT;			
		appliance consumer) valve))	EPO; JPO;			
			DERWENT			
			; IBM_TDB			